Safety Data Sheet

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) ANNEX II

Revision Date 17-Mar-2024 Version 98 Supercedes Date: 28-Nov-2023

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product code M4L0456/A

Product name PE/P/M GREY SYNTHA PULVIN BS18B25 COMP A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Paint, Coatings

1.3. Details of the supplier of the safety data sheet

See section 16 for more information

Valspar B.V.
Zuiveringweg 89
8243 PE Lelystad
The Netherlands
GPSReach@sherwin.com
Member Company of Sherwin Williams

The Valspar (Switzerland) Corporation AG Industrie-Str. 9 8627 Grüningen CH-SWITZERLAND +41 044 936 77 77 Member Company of Sherwin Williams

Sherwin Williams UK Limited Avenue One Station Lane Witney OX28 4XR +44 (0)1993 707400

For further information, please contact

E-mail address sdshelpdesk@valspareurope.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number

International	Austria	Belgium	Bulgaria	Croatia	
+1 703 741 5971	+(43)-13649237	+(32)-28083237	+(359)-32570104	+(385)-17776920	
Czech Republic	Denmark	Estonia +(372)-6681294	Finland	France	
+(420)-228880039	+(45)-69918573		+(358)-942419014	+(33)-975181407	
Germany	Greece	Hungary	Ireland	Italy	
0800-181-7059	+(30)-2111768478	+(36)-18088425	+(353)-19014670	800-789-767	
Latvia +(371)-66165504	Lithuania	Luxembourg	Netherlands	Norway	
	+(370)-52140238	+(352)-20202416	+(31)-858880596	+(47)-21930678	
Poland +(48)-223988029	Portugal +(351)-308801773	Romania (+40)-37-6300026	Slovakia +(421)-233057972	Slovenia +(386)-18888016	

Spain	Sweden	Switzerland	United Kingdom
900-868538	+(46)-852503403	+(41)- 435082011	+(44)-870-8200418

Poison control centre phone number

Only for the purpose of informing medical personnel in cases of acute intoxication

Belgium	Denmark	France	Finland	Hungary
+32 70 245 245	+45 82 12 12 12	+33 (0) 1454 25959	+358 9 471977	+36-80-20-11-99
lceland +354 543 2222	Ireland +353 (0)1 809 2166 (8.00 - 22.00)	Lithuania +370 (85) 2362052	Netherlands +31 (0) 88-755 8000	Norway +47 22 59 13 00
Portugal +(351) 800 250 250	Slovakia +421 2 5477 4166	Spain +3415620420	Sweden +46 8 33 12 31 (M-F 9.00-17.00)	

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Skin Sensitisation	Category 1 - (H317)
Chronic Aquatic Toxicity	Category 3 - (H412)

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]



Signal word

WARNING

Contains Reaction mass of bis(2,3-epoxypropyl) terephthalate and tris(oxiranylmethyl) benzene-1,2,4-tricarboxylate

Hazard statements

H412 - Harmful to aquatic life with long lasting effects

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

EUH210 - Safety data sheet available on request

PRECAUTIONARY STATEMENTS - EU (§28, 1272/2008)

P201 - Obtain special instructions before use

P233 - Keep container tightly closed

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other Hazards

PBT and vPvB assessment

Not applicable

Endocrine disrupting properties for human health

Not applicable

Endocrine disrupting properties for environment

Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Chemical name	CAS No	Weight-%	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number	Note:
Reaction mass of bis(2,3-epoxypropyl) terephthalate and tris(oxiranylmethyl) benzene-1,2,4-tricarbox ylate	UNKNOWN	1 - < 3	-	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Repr. 2 (H361f) STOT RE 2 (H373) Aquatic Chronic 2 (H411)	01-2120065788-39	-
Propanedioic acid, [[3,5-bis(1,1-dimethyleth yl)-4-hydroxyphenyl]met hyl]butyl-, bis(1,2,2,6,6-pentameth yl-4-piperidinyl) ester		0.1 - < 0.3	264-513-3	STOT RE 1 (H372) Acute Tox. 4 (H302) Aquatic Chronic 1 (H410)	01-2119978231-37	-

Full text of H- and EUH-phrases: see section 16

Chemical name	CAS No	Specific concentration limit (SCL)	M-Factor Acute	M-Factor Chronic
Reaction mass of bis(2,3-epoxypropyl) terephthalate and tris(oxiranylmethyl) benzene-1,2,4-tricarboxylate 1 - < 3	UNKNOWN	Repr. 2 :: C>=7%		1
Propanedioic acid, [[3,5-bis(1,1-dimethylethyl)-4-hy droxyphenyl]methyl]butyl-, bis(1,2,2,6,6-pentamethyl-4-pip eridinyl) ester 0.1 - < 0.3	63843-89-0			10

Chemical name	CAS No	Oral LD50 mg/kg ATE	Dermal LD50 mg/kg ATE	Inhalation LC50 - 4 hour - dust/mist - mg/L ATE	Inhalation LC50 - 4 hour - vapour - mg/L ATE	Inhalation LC50 - 4 hour - gas - ppm ATE
Reaction mass of bis(2,3-epoxypropyl) terephthalate and tris(oxiranylmethyl) benzene-1,2,4-tricarbox ylate 1 - < 3	UNKNOWN	500				
Propanedioic acid, [[3,5-bis(1,1-dimethyleth yl)-4-hydroxyphenyl]met hyl]butyl-, bis(1,2,2,6,6-pentameth yl-4-piperidinyl) ester 0.1 - < 0.3		500				

PBT and vPvB assessment

Not applicable

Endocrine disrupting properties for human health Not applicable

Endocrine disrupting properties for environment

Not applicable

Additional information

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice

IF exposed or concerned: Get medical advice/attention

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Skin contact

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

INHALATION

IF INHALED: Call a POISON CENTER or doctor if you feel unwell

INGESTION

Do NOT induce vomiting

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

Symptoms No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors Treat symptomatically

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Water spray (fog) Carbon dioxide (CO2) Alcohol resistant foam Dry chemical

Not to be used for safety reasons:

Inert gas under high pressure (e.g. CO2), water jet (Do not use if package is open or torn)

5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke
Fire may produce irritating and/or toxic gases
In the event of fire and/or explosion do not breathe fumes
May cause sensitisation by skin contact

5.3. Advice for firefighters

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Remove all sources of ignition
Do not breathe dust
Use personal protective equipment as required
Avoid contact with skin, eyes or clothing
Keep people away from and upwind of spill/leak

For emergency responders

Use personal protection recommended in Section 8

6.2. Environmental precautions

Do not allow into any sewer, on the ground or into any body of water

If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations Prevent further leakage or spillage if safe to do so

Local authorities should be advised if significant spillages cannot be contained

6.3. Methods and material for containment and cleaning up

Methods for Containment

Prevent further leakage or spillage if safe to do so

Methods for Cleaning Up

Dispose of waste product or used containers according to local regulations

Do not use a dry brush as dust clouds or static can be created

Dam up

Pick up and transfer to properly labelled containers

Clean contaminated surface thoroughly

Take up mechanically, placing in appropriate containers for disposal

Contain and collect spillage with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

6.4. Reference to other sections

See Section 8 for information on appropriate personal protective equipment See Section 13 for additional waste treatment information

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Precautions should be taken to prevent the formation of dusts in concentrations above flammable, explosive or occupational exposure limits. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Use personal protection recommended in Section 8. Comply with the health and safety at work laws. Prevent product from entering drains. Use only with adequate ventilation. Do not breathe dust/fume/gas/mist/vapours/spray.

General hygiene considerations

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Avoid contact with skin, eyes or clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep/store only in original container. Store in accordance with local regulations. Keep unauthorised personnel away. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials

Strong oxidising agents, Alcohols, Amines

7.3. Specific end use(s)

Recommended use Paint Coatings

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure Limits

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Belgium	Bulgaria	Czech Republic	Denmark	Estonia
Barium sulfate 7727-43-7			TWA: 10 mg/m ³	TWA: 10.0 mg/m ³			
Titanium dioxide 13463-67-7		STEL 10 mg/m³ alveolar dust, respirable fraction TWA: 5 mg/m³ alveolar dust, respirable fraction	TWA: 10 mg/m³	TWA: 10.0 mg/m³ respirable dust		TWA: 6 mg/m ³	TWA: 5 mg/m³
Mica 12001-26-2		TWA: 10 mg/m ³ inhalable fraction	TWA: 3 mg/m ³	TWA: 3.0 mg/m³ respirable fraction TWA: 6.0 mg/m³ inhalable fraction	, and the second		

Chemical name	Finland	France	Germany	Greece	Hungary	Iceland	Ireland
Barium sulfate 7727-43-7			TWA: 4 mg/m³ inhalable fraction TWA: 1.5 mg/m³ respirable fraction Ceiling / Peak: 2.4 mg/m³ respirable fraction				TWA: 2 mg/m³ respirable dust STEL: 6 mg/m³ respirable dust
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³		TWA: 10 mg/m ³ inhalable fraction TWA: 5 mg/m ³ respirable fraction		Ceiling: 12 mg/m³ TWA: 6 mg/m³	TWA: 10 mg/m³ total inhalable dust TWA: 4 mg/m³ respirable dust STEL: 30 mg/m³ total inhalable dust STEL: 12 mg/m³ respirable dust
Mica 12001-26-2							TWA: 10 mg/m³ total inhalable dust TWA: 0.8 mg/m³ respirable dust STEL: 30 mg/m³ total inhalable dust STEL: 2.4 mg/m³ respirable dust

Chemical name Italy Latvia Luxembourg Netherlands Norway Poland Portug	gal
--	-----

Barium sulfate 7727-43-7		TWA: 0.5 mg/m³ STEL: 1.5	TWA: 10 mg/m ³
		mg/m³	
Titanium dioxide	TWA: 10 mg/m ³	TWA: 5 mg/m ³	STEL: 30 mg/m3 TWA: 10 mg/m3
13463-67-7		STEL: 10 mg/m ³	
			mg/m³ inhalable
			fraction
Mica		TWA: 6 mg/m ³	TWA: 3 mg/m ³
12001-26-2		total dust	respirable
		TWA: 3 mg/m ³	fraction
		respirable dust	
		STEL: 12 mg/m ³	
		total dust	
		STEL: 6 mg/m ³	
		respirable dust	

Chemical name	Romania	Slovakia	Slovenia	Spain	Sweden	Switzerland	United
							Kingdom
Barium sulfate		TWA: 1.5 mg/m ³		TWA: 10 mg/m ³			STEL: 30 mg/m ³
7727-43-7							inhalable dust
							STEL: 12 mg/m ³
							respirable dust
							TWA: 10 mg/m ³
							inhalable dust
							TWA: 4 mg/m ³
	T1444 40 4 0						respirable dust
Titanium dioxide	TWA: 10 mg/m ³			TWA: 10 mg/m ³	TLV/LLV: 5	TWA: 3 mg/m ³	STEL: 30 mg/m ³
13463-67-7	STEL: 15 mg/m ³				mg/m³ total dust	respirable dust	total inhalable
							STEL: 12 mg/m ³
							respirable
							TWA: 10 mg/m ³
							total inhalable
							TWA: 4 mg/m³
NA:	T) A / A . O / 2	T) (/ A O/		T) A / A . O / 2		TIMA 0/2	respirable
Mica	TWA: 3 mg/m ³	TWA: 2 mg/m ³		TWA: 3 mg/m ³		TWA: 3 mg/m ³	STEL: 30 mg/m ³
12001-26-2	dust, inhalable	respirable		respirable		respirable dust	total inhalable
	fraction	fraction, 5% or		fraction			STEL: 2.4
		less fibrogenic					mg/m³ respirable
		component					TWA: 10 mg/m ³
		TWA: 10 mg/m ³					total inhalable
		respirable					TWA: 0.8 mg/m ³
		fraction, greater					respirable
		than 5%					
		fibrogenic					
		component					
		TWA: 10 mg/m ³					
		total aerosol					

8.2. Exposure controls

8.2.1 Appropriate Engineering Controls

Engineering controls

Ensure adequate ventilation, especially in confined areas

Provide local exhaust ventilation

In case of insufficient ventilation, wear suitable respiratory equipment

Do not breathe dust

8.2.2 Individual protection measures, such as personal protective equipment

Eye/Face Protection

Tight sealing safety goggles

Skin and Body Protection

Wear suitable protective clothing

Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the powder are avoided

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact

Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals

Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed

Gloves should be replaced regularly and if there is any sign of damage to the glove material

Always ensure that gloves are free from defects and that they are stored and used correctly

The performance or effectiveness of the glove may be reduced by physical / chemical damage and poor maintenance Wear protective gloves

Break through time > 240 minutes Estimated

_	Break till eagir tille	> 240 minutos Estimatos
	PPE - Glove material	Glove thickness
-	Neoprene™	> 0.56 mm
-	Butyl rubber	> 0.36 mm
-	Fluoroelastomer	> 0.51 mm
	Nitrile rubber	> 0.56 mm
-	Natural rubber	> 0.48 mm
-	Polyvinyl chloride (PVC)	> 0.25 mm

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

Thermal Protection

No information available

8.2.3 Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water Local authorities should be advised if significant spillages cannot be contained

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Powder Odourless

ColourNo information availableMelting Point / Melting RangeNo information available

Boiling point
Not relevant/applicable due to nature of the product.

Flash Point 400 °C

Autoignition Temperature Not relevant/applicable due to nature of the product.

Decomposition temperatureNo information available

PH VALUE

Not relevant/applicable due to nature of the product.

Kinematic viscosity

Not relevant/applicable due to nature of the product.

Solubility(ies) No information available Partition coefficient No information available

Vapour pressure @20 - 25 C (hPa) Not relevant/applicable due to nature of the product.

Specific gravity 1.39

Vapour Density No information available

9.2. Other information

Minimum ignition energy (MIE)3 - 50 mJ (typical range)dust deflagration index (Kst)100 - 199 bar*m/s (typical range)

Minimum Explosive Conc. (g/m³) 20 - 70 (typical range)

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

No information available

10.2. Chemical stability

Stable under normal conditions

Explosion Data

Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No information available.
No information available.

10.3. Possibility of hazardous reactions

Hazardous polymerisation None under normal processing

Possibility of hazardous reactions None under normal processing

10.4. Conditions to avoid

Heat, flames and sparks

10.5. Incompatible materials

Strong oxidising agents Alcohols Amines

10.6. Hazardous decomposition products

Carbon monoxide Carbon dioxide (CO2) Oxides of sulphur

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on Likely Routes of Exposure

Eye Contact

Causes serious eye irritation

Skin contact

May cause an allergic skin reaction

INGESTION

No information available

INHALATION

No information available

Numerical Measures of Toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 38,462.00 Mg/kg

UNKNOWN ACUTE TOXICITY 0% of the mixture consists of ingredient(s) of unknown toxicity.

Numerical Measures of Toxicity - Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propanedioic acid,	= 1500 mg/kg (Rat)		
[[3,5-bis(1,1-dimethylethyl)-4-hydrox			
yphenyl]methyl]butyl-,			
bis(1,2,2,6,6-pentamethyl-4-piperidi			

nyl) ester

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin Corrosion/IrritationNo information availableSerious eye damage/eye irritationCauses serious eye irritationSkin SensitisationMay cause an allergic skin reaction

Respiratory SensitisationNo information availableGerm Cell MutagenicityNo information availableCarcinogenicityNo information availableReproductive toxicityNo information availableSpecific target organ toxicity (single exposure)No information availableSpecific target organ toxicity (repeated exposure)No information available

Reaction mass of bis(2,3-epoxypropyl) terephthalate and tris(oxiranylmethyl) benzene-1,2,4-tricarboxylate

Nervous System, Reproductive System

 $Propanedioic\ acid,\ [[3,5-bis(1,1-dimethylethyl)-4-hydroxyphenyl] methyl] butyl-,\ bis(1,2,2,6,6-pentamethyl-4-piperidinyl)$

ester

lymph system, Liver, Spleen

Aspiration Hazard

Not applicable

Endocrine disrupting properties for human health

Not applicable

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Environmental Precautions Prevent product from entering drains

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

Not applicable

12.6 Endocrine disrupting properties

Endocrine disrupting properties for environment

Not applicable

12.7. Other adverse effects

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Environmental Precautions Prevent product from entering drains

Keep out of waterways

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations

Improper disposal or reuse of this container may be dangerous and illegal **Contaminated Packaging**

Empty containers must be scrapped or reconditioned

European Waste Catalogue

08 02 01 Product 15 01 10* **Packaging**

Section 14: TRANSPORT INFORMATION

IMDG RID ADR IATA ADN NOT REGULATED NOT REGULATED NOT REGULATED NOT REGULATED

14.1 UN number or ID NOT REGULATED number

14.2 Proper Shipping

Name

14.3 Hazard class 14.4 Packing group 14.5 Environmental hazard

14.6 Special **Provisions**

14.7 Maritime transport in bulk according to IMO instruments

No information available

The supplier may apply one of the following exceptions: Combustible Liquid (49 CFR 173.150(f)); Consumer Commodity (49 CFR 173.150(c), ICAO/IATA SP A112); Limited Quantity (49 CFR 173.150(b), ICAO Part 3 Chapter 4, IATA 2.7, IMDG Chapter 3.4); Viscous Liquid (49 CFR 173.121(b), IMDG 2.3.2.2, IATA 3.3.3.1.1, ICAO 3.2.2, ADR 2.2.3.1.5); Does Not Sustain Combustion (49 CFR 173.120(a), IATA 3.3.1.3, ICAO 3.1.3, IMDG 2.3.1.3, ADR 2.2.3.1.1 Note 1); or others as allowed under hazardous materials/dangerous goods regulations.

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

National Regulations

Germany Water hazard class 2 (WGK)

TA Luft (German Air Pollution Control Regulation)

Class 2 Class 1 Class 3 Class 4 0 % 0 % 0 % 0 %

31 . BlmSchV Danish MAL Code 00 - 5

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Supplier Address

Sherwin-Williams UK Limited – General Industrial Division Goodlass Road Liverpool, Merseyside L24 9HJ +44 (0) 151 486 0486 Inver S.p.A. Via di Corticella, 205 Bologna, BO, Italy 40128 39 051 6380411 Inver Polska SP.Z.O.O. UL. Metalowców 49 Debica 39-200 Poland +48 14 680 90 20 Inver France S.A.S. 2 Rue Jean Devaux Boîte Postale 88 Thouars 79102 Phone: +33 5 49 96 025 00

Inver S.p.A. 10/A Via Marconi Minerbio BO 40061 Phone: +39 051 660 6811

Full text of H-Statements referred to under sections 2 and 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H361f - Suspected of damaging fertility

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

H411 - Toxic to aquatic life with long lasting effects

Prepared by Product Stewardship

Revision Date 17-Mar-2024

Revision noteNo information available.

Disclaimer

The information on this Safety Data Sheet (SDS) is based on the present state of our knowledge, current national legislation and EU guidelines. As the specific conditions of use of the product are outside the supplier's knowledge and control the user is responsible for ensuring that the requirements of relevant legislation are complied with. This SDS should not be construed as any guarantee of the technical performance or suitability for particular applications. UNLESS SUPPLIER AGREES OTHERWISE IN WRITING, SUPPLIER MAKES NO WARRANTIES, EXPRESS OR IMPLIED, AND DISCLAIMS ALL IMPLIED WARRANTIES INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR FREEDOM FROM PATENT INFRINGEMENT. SUPPLIER WILL NOT BE LIABLE FOR ANY SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

End of Safety Data Sheet